	_
Patient Name:	 Date:

Lower Extremity Functional Scale (LEFS)
We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb problem for which you are currently seeking attention. Please provide an answer for each activity.

Today, do you or would you have any difficulty at all with:

	Activities	Extreme difficulty or unable to perform activity	Quite a bit of difficulty	Moderate difficulty	A little bit of difficulty	No difficulty
1.	Any of your usual work, Housework or school activities.	0	1	2	3	4
2. or	Your usual hobbies, recreational sporting activities.	0	1	2	3	4
3.	Getting into or out of the bath.	0	1	2	3	4
4.	Walking between rooms.	0	1	2	3	4
5.	Putting on your shoes or socks.	0	1	2	3	4
6.	Squatting.	0	1 1 1	2	3	4
7.	Lifting an object, like a bag of groceries from the floor.	0	1	2	3	4
8.	Performing light activities around your home.	0	1	2	3	4
9.	Performing heavy activities around your home.	0	1	2	3	4
10.	Getting into or out of a car.	0	1	2	3	4
11.	Walking 2 blocks.	0	1	2	3	4
12.	Walking a mile.	0	1	2	3	4
13.	Going up or down 10 stairs (about 1 flight of stairs).	0	1	2	3	4
14.	Standing for 1 hour.	0	1	2	3	4
15.	Sitting for 1 hour.	0	1	2	3	4
16.	Running on even ground.	0	1	2	3	4
17.	Running on uneven ground.	0	1	2	3	4
18.	Making sharp turns while running fast.	0	1	2	3	4
19.	Hopping.	0	1	2	3	4
20.	Rolling over in bed.	0	1	2	3	4
	Column Totals:					

Total Score: ______/80 = _____% physical function

MEDICARE P	ATIENTS ONLY		
100%	% Function	=	% Impairment

Patient Signature:

Date:

Patient's Name	Number Date
LOW BACK DISABILITY QUESTION	ONNAIRE (REVISED OSWESTRY)
This questionnaire has been designed to give the doctor informatio everyday life. Please answer every section and mark in each s	
consider that two of the statements in any one section relate to yo describes your problem.	ou, but please just mark the box which MOST CLOSELY
Section 1 - Pain Intensity	Section 6 - Standing
☐ I can tolerate the pain without having to use painkillers. ☐ The pain is bad but I can manage without taking painkillers. ☐ Painkillers give complete relief from pain. ☐ Painkillers give moderate relief from pain. ☐ Painkillers give very little relief from pain. ☐ Painkillers have no effect on the pain and I do not use them.	 ☐ I can stand as long as I want without extra pain. ☐ I can stand as long as I want but it gives extra pain. ☐ Pain prevents me from standing more than 1 hour. ☐ Pain prevents me from standing more than 30 minutes. ☐ Pain prevents me from standing more than 10 minutes. ☐ Pain prevents me from standing at all.
Section 2 Personal Care (Washing, Dressing, etc.)	Section 7 Sleeping
☐ I can look after myself normally without causing extra pain. ☐ I can look after myself normally but it causes extra pain. ☐ It is painful to look after myself and I am slow and careful. ☐ I need some help but manage most of my personal care. ☐ I need help every day in most aspects of self care. ☐ I do not get dressed, I wash with difficulty and stay in bed.	☐ Pain does not prevent me from sleeping well. ☐ I can sleep well only by using tablets. ☐ Even when I take tablets I have less than 6 hours sleep. ☐ Even when I take tablets I have less than 4 hours sleep. ☐ Even when I take tablets I have less than 2 hours sleep. ☐ Pain prevents me from sleeping at all.
Section 3 – Lifting	Section 8 – Social Life
 ☐ I can lift heavy weights without extra pain. ☐ I can lift heavy weights but it gives extra pain. ☐ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example on a table. ☐ Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned. ☐ I can lift very light weights. 	 ☐ My social life is normal and gives me no extra pain. ☐ My social life is normal but increases the degree of pain. ☐ Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g. dancing. ☐ Pain has restricted my social life and I do not go out as often. ☐ Pain has restricted my social life to my home. ☐ I have no social life because of pain.
☐ I cannot lift or carry anything at all.	Section 9 – Traveling
Section 4 – Walking ☐ Pain does not prevent me from walking any distance. ☐ Pain prevents me from walking more than one mile. ☐ Pain prevents me from walking more than one-half mile. ☐ Pain prevents me from walking more than one-quarter mile ☐ I can only walk using a stick or crutches. ☐ I am in bed most of the time and have to crawl to the toilet.	 ☐ I can travel anywhere without extra pain. ☐ I can travel anywhere but it gives me extra pain. ☐ Pain is bad but I manage journeys over 2 hours. ☐ Pain is bad but I manage journeys less than 1 hour. ☐ Pain restricts me to short necessary journeys under 30 minutes. ☐ Pain prevents me from traveling except to the doctor or hospital.
Section 5 Sitting	Section 10 – Changing Degree of Pain
☐ I can sit in any chair as long as I like ☐ I can only sit in my favorite chair as long as I like ☐ Pain prevents me from sitting more than one hour. ☐ Pain prevents me from sitting more than 30 minutes. ☐ Pain prevents me from sitting more than 10 minutes. ☐ Pain prevents me from sitting almost all the time. Scoring: Questions are scored on a vertical scale of 0-5. Total scores and multiply by 2. Divide by number of sections answered multiplied by 10. A score of 22% or more is considered significant activities of daily	 ☐ My pain is rapidly getting better. ☐ My pain fluctuates but overall is definitely getting better. ☐ My pain seems to be getting better but improvement is slow at the present. ☐ My pain is neither getting better nor worse. ☐ My pain is gradually worsening. ☐ My pain is rapidly worsening. Comments
living disability. (Score x 2) / (Sections x 10) = %ADL	Reference: Fairbank, Physiotherapy 1981; 66(8): 271-3, Hudson-Cook. In Roland, Jenner (eds.), Back Pain New Approaches To Rehabilitation & Education. Manchester Univ Press, Manchester 1989: 187-204



QUICK DASH

Please rate your ability to do the following activities in the last week by circling the number below the appropriate response.

	No difficulty	Mild difficulty	Moderate difficulty	Severe difficulty	Unable to do
1. Open a tight or new jar.	1	2	3	4	5
Do heavy household chores(i.e., wash					
walls,floors, etc)	1	2	3	4	5
3. Carry a shopping bag or briefcase.	1	2	3	4	5
4. Wash your back.	1	2	3	4	5
5. Use a knife to cut food	1	2	3	4	5
6. Recreational activities in which you take some force or impact through your arm, shoulder, or hand (i.e., golf, hammering, tennis, etc.)	1	2	3	4	5
, , , , , , , , , , , , , , , , , , , ,	Not at all	Slightly	Moderately	Quite a bit	Extremely
7. During the past week, to what exent has your arm, shoulder, or hand problem interfered with your normal social activities with friends, family, neighbors or groups?	1	2	3	4	5
8. During the past week, were you limited in your work or other regular daily activities as a result of your arm, shoulder or hand.	Not at all	Slightly	Moderately	Quite a bit	Extremely
Please rate the severity of the	following sy	mptoms in	the last week.		
	None	Mild	Moderate	Severe	Extreme
9. Arm, Shoulder or Hand Pain.	1	2	3	4	5
10. Tingling (pins & needles) in arm, shoulder or hand.	1	2	3	4	5
	No difficulty	Mild difficulty	Moderate difficulty	Severe difficulty	Prevents Sleep
11. During the past week, how much difficulty have you had sleeping because of the pain in your arm, shoulder or hand?	1	2	3	4	5
Since the beginning of therapy my condition has improve 0% 10% 20% 30% 40% 50% During the last 24 hours, my maximum pain rating was: 0 1 2 3 4 5	60%	70%	80%	90%	100%
0 1 2 5 4 5	6	7	8	9	10

Completed by therapist only:

QUICK DASH SYMPTOM SCORE = (sum of n response)-1x25

Patient's Name	Number Date
NECK DISAE	BILITY INDEX
everyday life. Please answer every section and mark in each s	on as to how your neck pain has affected your ability to manage in section only ONE box which applies to you. We realize you may you, but please just mark the box which MOST CLOSELY
Section 1 - Pain Intensity	Section 6 – Concentration
☐ I have no pain at the moment. ☐ The pain is very mild at the moment. ☐ The pain is moderate at the moment. ☐ The pain is fairly severe at the moment. ☐ The pain is very severe at the moment. ☐ The pain is the worst imaginable at the moment.	☐ I can concentrate fully when I want to with no difficulty. ☐ I can concentrate fully when I want to with slight difficulty. ☐ I have a fair degree of difficulty in concentrating when I want to. ☐ I have a lot of difficulty in concentrating when I want to. ☐ I have a great deal of difficulty in concentrating when I want to. ☐ I cannot concentrate at all.
Section 2 Personal Care (Washing, Dressing, etc.)	Section 7—Work
☐ I can look after myself normally without causing extra pain. ☐ I can look after myself normally but it causes extra pain. ☐ It is painful to look after myself and I am slow and careful. ☐ I need some help but manage most of my personal care. ☐ I need help every day in most aspects of self care. ☐ I do not get dressed, I wash with difficulty and stay in bed.	☐ I can do as much work as I want to. ☐ I can only do my usual work, but no more. ☐ I can do most of my usual work, but no more. ☐ I cannot do my usual work. ☐ I can hardly do any work at all. ☐ I can't do any work at all.
Section 3 – Lifting	Section 8 – Driving
☐ I can lift heavy weights without extra pain. ☐ I can lift heavy weights but it gives extra pain. ☐ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example on a table. ☐ Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned. ☐ I can lift very light weights. ☐ I cannot lift or carry anything at all.	 ☐ I drive my car without any neck pain. ☐ I can drive my car as long as I want with slight pain in my neck. ☐ I can drive my car as long as I want with moderate pain in my neck. ☐ I can't drive my car as long as I want because of moderate pain in my neck. ☐ I can hardly drive my car at all because of severe pain in my neck. ☐ I can't drive my car at all.
Section 4 – Reading	Section 9 – Sleeping
 ☐ I can read as much as I want to with no pain in my neck. ☐ I can read as much as I want to with slight pain in my neck. ☐ I can read as much as I want with moderate pain. ☐ I can't read as much as I want because of moderate pain in my neck. ☐ I can hardly read at all because of severe pain in my neck. 	☐ I have no trouble sleeping. ☐ My sleep is slightly disturbed (less than 1 hr. sleepless). ☐ My sleep is moderately disturbed (1-2 hrs. sleepless). ☐ My sleep is moderately disturbed (2-3 hrs. sleepless). ☐ My sleep is greatly disturbed (3-4 hrs. sleepless). ☐ My sleep is completely disturbed (5-7 hrs. sleepless).
☐ I cannot read at all.	Section 10 – Recreation
Section 5-Headaches I have no headaches at all. I have slight headaches which come infrequently. I have slight headaches which come frequently. I have moderate headaches which come infrequently. I have severe headaches which come frequently. I have headaches almost all the time. Scoring: Questions are scored on a vertical scale of 0-5. Total scores and multiply by 2. Divide by number of sections answered multiplied by 10. A score of 22% or more is considered a significant activities of daily	 I am able to engage in all my recreation activities with no neck pain at all. I am able to engage in all my recreation activities, with some pain in my neck. I am able to engage in most, but not all of my usual recreation activities because of pain in my neck. I am able to engage in a few of my usual recreation activities because of pain in my neck. I can hardly do any recreation activities because of pain in my neck. I can't do any recreation activities at all.
living disability.	Comments